NSN 5910-00-834-8497

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-834-8497 **Body Style:** Piston **Overall Length:** 0.850 inches **Terminal Length:** 0.750 inches **Body Length:** 0.750 inches **Overall Diameter:** 0.310 inches Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius: -100.0/+100.0 single section Center To Center Distance Between Terminals Parallel To Length: 0.620 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.275 inches **Terminal Diameter:** 0.025 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Fragility Factor:** Moderately rugged **Inclosure Type:** Encased **Adjustment Device Torque:** Between 1.000 inch-ounces and 10.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 1000000.0 megohms **Mounting Facility Type And Quantity:** 4 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +0.8/+12.0 single section **Nonderated Voltage Rating And Type:** 1000.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw Material: Glass capacitive electrode

4 wire lead

Terminal Type And Quantity:

NSN 5910-00-834-8497

Glass Dielectric Variable Capacitor - Page 2 of 2



N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0