Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-838-7961

### **Body Style:**

W/o mtg facilities, axial terminals

### **Reliability Indicator:**

Not established

# Terminal Length:

2.250 inches

### **Body Diameter:**

0.375 inches

### **Body Length:**

0.766 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### Anode Type:

Solid

### Impedance At Minimum Operating Tempurature In Ohms:

80.0

## **Electrical Polarization:**

Polarized

## **Capacitance Value Per Section:**

30.000 microfarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

# Dc Leakage At Maximum Operating Temp:

12.0 milliamperes

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

## **Tolerance Range Per Section:**

-15.00/+20.00 percent single section

### **Case Material:**

Metal

## **Capacitive Electrode Material:**

Tantalum

## Equivalent Series Resistance At Reference Tempurature In Ohms:

4.00

## Dc Leakage At Reference Temp:

2.000 microamperes

## **Terminal Surface Treatment:**

Solder

## **Terminal Type And Quantity:**

2 uninsulated wire lead

### Shelf Life:

N/a

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0