Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-849-1720

## **Body Style:**

W/o mtg facilities, axial terminals

**Reliability Indicator:** 

Not established

Terminal Length:

Between 1.625 inches and 2.625 inches

#### **Body Diameter:**

Between 0.228 inches and 0.248 inches

#### **Body Length:**

Between 0.657 inches and 0.781 inches

### **Terminal Diameter:**

0.025 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

### Internal Electrical Connection Type:

Extended foil

#### Features Provided:

Hermetically sealed case

### **Capacitance Value Per Section:**

0.022 microfarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### **Case Material:**

Metal

Insulation Resistance At Reference Temp:

40000.0 megohm-microfarads

### **Dissipation Factor At Reference Tempurature In Percent:**

1.000

# **Terminal Surface Treatment:**

Solder

## **Dielectric Material:**

Plastic polyester

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

## Unit Of Measure:

---

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0