## NSN 5910-00-850-3617

Electrolytic Fixed Capacitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5910-00-850-3617 **Body Style:** W/twist tab mtg, terminal (s) on one end **Reliability Indicator:** Not established **Body Diameter:** 1.375 inches **Body Length:** 2.500 inches **Schematic Diagram Designator:** Electrod (s) grounded to case, w/gnd terminal **Anode Type:** Plain foil **Impedance At Minimum Operating Tempurature In Ohms:** 221.0 **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 40.000 microfarads single section **Nonderated Operating Temp:** Between -40.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 350.0 dc single section **Tolerance Range Per Section:** -10.00/+125.00 percent single section **Case Material:** Metal **Capacitive Electrode Material:** Tantalum Dc Leakage At Reference Temp: 0.010 milliamperes **Test Data Document:** 13499-183-023800 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 2 tab, solder lug Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

Fiig:

No

A010b0