

View Online at <https://aerobasegroup.com/nsn/5910-00-851-4073>

**Body Style:**

W/twist tab mtg, terminal (s) on one end

**Reliability Indicator:**

Not established

**Terminal Length:**

0.312 inches

**Body Diameter:**

0.938 inches

**Body Length:**

3.125 inches

**Schematic Diagram Designator:**

No common or grounded electrode (s)

**Anode Type:**

Etched foil

**Electrical Polarization:**

Polarized

**End Application:**

Kidd class ddg, spruance class dd (963), an/sps-4 (v) series radar, forrestal class cv, los angeles class ssn (688), sturgeon class ssn (637), ticonderoga class cg (47), nimitz class cvn, virginia class cgn (41) .

**Capacitance Value Per Section:**

890.000 microfarads single section

**Nonderated Operating Temp:**

Between -40.0 degrees celsius and 85.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

15.0 dc single section

**Tolerance Range Per Section:**

-10.00/+100.00 percent single section

**Case Material:**

Metal

**Capacitive Electrode Material:**

Aluminum

**Terminal Type And Quantity:**

2 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A010b0