NSN 5910-00-864-8389

Ceramic Dielectric Fixed Capacitor - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5910-00-864-8389 |
|---|
| Body Style: |
| $W\!/o \ mtg \ facilities, \ radial \ terminals w\!/o \ mtg \ facilities, \ radial \ terminals$ |
| Reliability Indicator: |
| Not establishednot established |
| Terminal Length: |
| 1.250 inches 1.250 inches |
| Body Diameter: |
| 0.430 inches |
| Body Length: |
| 0.156 inches |
| Terminal Diameter: |
| 0.032 inches |
| Schematic Diagram Designator: |
| No common or grounded electrode (s) |
| Capacitance Value Per Section: |
| 2500.000 picofarads single section |
| Voltage Tempurature Limits Per Section In Percent Capacitance Change: |
| -56.0/+22.0 without voltage applied single section |
| Nonderated Operating Temp: |
| Between -55.0 degrees celsius and 85.0 degrees celsius |
| Nonderated Continuous Voltage Rating And Type Per Section: |
| 1000.0 dc single section |
| Tolerance Range Per Section: |
| -20.00/+20.00 percent single section |
| Case Material: |
| Plastic |
| Dissipation Factor At Reference Tempurature In Percent: |
| 2.0000 |
| Terminal Surface Treatment: |
| Solder |
| Terminal Type And Quantity: |
| 2 uninsulated wire lead |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| |

Fiig:

A010b0