

View Online at https://aerobasegroup.com/nsn/5910-00-869-4820

Thread Class:
Any acceptable
Body Style:
Piston
Overall Length:
0.922 inches
Bushing Diameter:
0.250 inches
Bushing Length:
0.250 inches
Body Length:
0.672 inches
Overall Diameter:
0.312 inches
Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius:
-100.0/+100.0 single section
Center To Center Distance Between Terminals Parallel To Length:
Any acceptable
Quality Factor At 25 Deg Celsius:
500.0
Mounting Facility Screw Thread Series Designator:
Unef
Inclosure Type:
Encased
Adjustment Device Torque:
Between 1.000 inch-ounces and 10.000 inch-ounces
Bushing Shape:
Round w/flat
Insulation Dc Resistance At 25 Deg Celsius:
1000.0 gigohms
Bushing Width:
0.225 inches
Mounting Facility Type And Quantity:
1 threaded bushing
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Thread Size:
0.250 inches
Capacitance Range In Picofarads:
+1.0/+10.0 single section
Nonderated Voltage Rating And Type:

500.0 dc continuous single section



## Adjustment Device Drive Type And Quantity:

1 slotted screw

## Terminal Type And Quantity:

1 tab, solder lug and 1 wire lead

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A096a0