NSN 5910-00-877-9277

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-877-9277 **Body Style:** W/o mtg facilities, terminal (s) on one end Reliability Indicator: Not established **Terminal Length:** 0.531 inches **Body Diameter:** 1.438 inches **Body Length:** 4.875 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.500 inches **Schematic Diagram Designator:** Electrod (s) grounded to case, w/gnd terminal **Anode Type:** Plain foil **Impedance At Minimum Operating Tempurature In Ohms:** 4.0 **Electrical Polarization:** Polarized **Features Provided:** Hermetically sealed case **Capacitance Value Per Section:** 6600.000 microfarads single section **Nonderated Operating Temp:** Between -20.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 15.0 dc single section **Tolerance Range Per Section:** -10.00/+100.00 percent single section Case Material: Metal **Capacitive Electrode Material:** Aluminum **Dissipation Factor At Reference Tempurature In Percent:** 0.7600 **Terminal Surface Treatment:** Solder **Case Insulation Material: Plastic**

Terminal Type And Quantity: 2 tab, solder lug

NSN 5910-00-877-9277

Electrolytic Fixed Capacitor - Page 2 of 2



| She | lf I | Life: |
|-----|------|-------|
| | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0