NSN 5910-00-883-1270

Paper Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-883-1270

Body Style: W/thd mtg hol (s)/stud(s) terminal(s) on one surface **Reliability Indicator:** Not established **Body Length:** 4.562 inches **Body Width:** 3.750 inches **Body Height:** 5.688 inches **Center To Center Distance Between Terminals Parallel To Length:** 2.250 inches **Terminal Diameter:** 0.781 inches **Terminal Height From Body:** 0.750 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 3.250 inches **Schematic Diagram Designator:** One terminal common to each section Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.625 inches **Mounting Facility Screw Thread Series Designator:** Unc **Mounting Facility Type And Quantity:** 4 threaded mounting studs **Section Quantity: Features Provided:** Hermetically sealed case **Insulation Resistance At Maximum Operating Temp:** 50.0 megohms **Capacitance Value Per Section:** 0.100 microfarads all sections **Nonderated Operating Temp:** Between 0.0 degrees celsius and 90.0 degrees celsius **Thread Size:** 0.164 inches Nonderated Continuous Voltage Rating And Type Per Section:

17500.0 dc all sections

Tolerance Range Per Section:

-10.00 to 10.00 percent all sections

NSN 5910-00-883-1270

Paper Dielectric Fixed Capacitor - Page 2 of 2



Sase Material:	
Metal .	
nsulation Resistance At Reference Temp:	
5000.0 megohms	
Power Factor At Reference Tempurature In Percent:	
.000	
Ferminal Type And Quantity:	
standoff, threaded stud	
Shelf Life:	
N/a	
Jnit Of Measure:	
-	
Demilitarization:	
No	
Filg:	

A010b0