NSN 5910-00-894-7163

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-894-7163

Body Style:
W/o mtg facilities, radial terminalsw/o mtg facilities, radial terminalsw/o mtg facilities, radial terminals
Reliability Indicator:
Not establishednot established
Terminal Length:
1.250 inches
Body Diameter:
0.675 inches
Body Length:
0.156 inches
Center To Center Distance Between Terminals Parallel To Diameter:
Between 0.355 inches and 0.395 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Capacitance Value Per Section:
0.100 microfarads single section
Voltage Tempurature Limits Per Section In Percent Capacitance Change:
-56.0/+22.0 without voltage applied single section
Nonderated Operating Temp:
Between -10.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
100.0 dc single section
Tolerance Range Per Section:
-20.00/+20.00 percent single section
Case Material:
Plastic
Insulation Resistance At Reference Temp:
10000.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
2.0000
Terminal Surface Treatment:
Solder
Test Data Document:
04071-scd80031-2 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
2 uninsulated wire lead
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5910-00-894-7163

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Fiig:

A010b0