NSN 5910-00-901-3971

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-901-3971

view Offiline at https://aerobasegroup.com/his//3910-00-901-3911
Body Style:
W/o mtg facilities terminal (s) on one surface
Reliability Indicator:
Established
Terminal Length:
1.500 inches
Body Length:
0.293 inches
Body Width:
0.293 inches
Body Height:
0.098 inches
Center To Center Distance Between Terminals Parallel To Length:
Between 0.190 inches and 0.210 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Capacitance Value Per Section:
0.100 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
100.0 dc single section
Criticality Code Justification:
Test
Tolerance Range Per Section:
-10.00/+10.00 percent single section
Case Material:
Ceramic
Insulation Resistance At Reference Temp:
15000.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
2.5000
Terminal Surface Treatment:
Solder
Test Data Document:
94756-441-0762 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:

N/a

Unit Of Measure:

Shelf Life:

2 uninsulated wire lead

--

NSN 5910-00-901-3971

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



_		••	• •					
וו	em	ш	112	r17	2+	\sim	n	
$\boldsymbol{-}$	CIII	••	ıιa	114	.aı	ı		

No

Fiig:

A010b0