

View Online at https://aerobasegroup.com/nsn/5910-00-903-0534

### **Body Style:**

W/o mtg facilities, axial terminalsw/o mtg facilities, axial terminals

**Reliability Indicator:** 

Not establishednot established

### **Terminal Length:**

1.250 inches 1.250 inches

#### **Body Diameter:**

0.150 inches

#### **Body Length:**

0.400 inches

**Terminal Diameter:** 

0.020 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

### **Capacitance Value Per Section:**

0.047 microfarads single section

### Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-15.0/+15.0 without voltage applied single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

### Case Material:

Glass

### Insulation Resistance At Reference Temp:

100000.0 megohms

### **Dissipation Factor At Reference Tempurature In Percent:**

2.500

# **Quality Factor At Reference Temp:**

350.000

# **Terminal Surface Treatment:**

Solder

# Terminal Type And Quantity:

2 uninsulated wire lead

# **Specification Data:**

37695-258236-161 manufacturers source control

# Shelf Life:

N/a

### Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0