## NSN 5910-00-906-8550

Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-906-8550 **Thread Class:** 2b **Body Style:** Plate-meshing **Overall Length:** 9.567 inches **Overall Height:** 2.531 inches **Overall Width:** 2.562 inches **Shaft Diameter:** 0.250 inches single shaft **Shaft Length:** 1.250 inches single shaft **Body Length:** 8.190 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 all sections **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -100.0/+100.0 all sections **Center To Center Distance Between Mounting Facilities Parallel To Height:** 2.093 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.146 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.937 inches **Individual Section Quantity: Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Encased **Tuning Characteristic:** Straight line capacity all sections **Split-stator Rotary Plate Type:** Butterfly **Adjustment Device Rotation:** 180.0 degrees counterclockwise **Adjustment Device Torque:** 

50000.0 megohms

Between 1.000 inch-ounces and 7.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius:

## NSN 5910-00-906-8550

Air Dielectric Variable Capacitor - Page 2 of 2



Plate Air Gap:
0.050 inches
Mounting Facility Type And Quantity:
8 threaded hole
Thready Qty Per Inch (tpi):
32
Nonderated Operating Temp:
Between -55.0 degrees celsius and 65.0 degrees celsius
Thread Size:
0.190 inches
Shaft Type:
Round, hollowed single shaft
Capacitance Range In Picofarads:
+0.0/+21.5 second section
Nonderated Voltage Rating And Type:
600.0 dc continuous first section
Adjustment Device Drive Type And Quantity:
1 shaft
Material:
Metal base
Precious Material And Location:
Stator plates and rotor assembly silver
Precious Material:
Silver
Terminal Type And Quantity:
10 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Filg:
A096a0