

View Online at <https://aerobasegroup.com/nsn/5910-00-911-9272>

**Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:**

Not established

**Terminal Length:**

1.250 inches

**Body Length:**

1.125 inches

**Body Width:**

0.625 inches

**Body Height:**

0.375 inches

**Center To Center Distance Between Terminals Parallel To Length:**

0.719 inches

**Terminal Diameter:**

0.032 inches

**Schematic Diagram Designator:**

No common or grounded electrode (s)

**End Application:**

Missile, all-weather antiship, harpoon (agm-84); spruance class dd (963); forrestal class cv; sturgeon class ssn (637); interrogator set (a0681) (an/upx0270; los angeles class ssn (688); virginia class cgn (41); ticonderoga class cg (47); missile, air-to-air, phoenix (aim-54)

**Insulation Resistance At Maximum Operating Temp:**

1500.0 megohm-microfarads

**Capacitance Value Per Section:**

0.330 microfarads single section

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 85.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

200.0 dc single section

**Criticality Code Justification:**

Feat

**Tolerance Range Per Section:**

-20.00/+20.00 percent single section

**Case Material:**

Plastic

**Insulation Resistance At Reference Temp:**

25000.0 megohm-microfarads

**Dissipation Factor At Reference Temperature In Percent:**

1.0000

**Terminal Surface Treatment:**

Solder

**Dielectric Material:**

Plastic polyester

**Special Features:**

Weapon system essential

**Terminal Type And Quantity:**

2 uninsulated wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A010b0