## NSN 5910-00-917-9203

**Body Style:** 

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-917-9203

W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Not established
Terminal Length:
0.672 inches
Body Diameter:
1.250 inches
Body Length:
2.999 inches
Schematic Diagram Designator:
One terminal common to each section
Anode Type:
Plain foil
Impedance At Minimum Operating Tempurature In Ohms:
220.0
Electrical Polarization:
Polarized
Section Quantity:
3
Capacitance Value Per Section:
20.000 microfarads all sections
Nonderated Operating Temp:
Between -40.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
350.0 dc all sections
Tolerance Range Per Section:
-10.00/+50.00 percent all sections
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Dissipation Factor At Reference Tempurature In Percent:
12.000
Dc Leakage At Reference Temp:
120.000 microamperes
Terminal Surface Treatment:
Nickel
Case Insulation Material:
Plastic

**Test Data Document:** 

81349-mil-c-62 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## NSN 5910-00-917-9203 Electrolytic Fixed Capacitor - Page 2 of 2



Fiig: A010b0