NSN 5910-00-918-2330



Electrolytic Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-00-918-2330 **Body Style:** W/o mtg facilities, terminal (s) on one end **Reliability Indicator:** Not established **Terminal Length:** 0.500 inches **Body Diameter:** 0.375 inches **Body Length:** 0.812 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.203 inches **Terminal Diameter:** 0.032 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Anode Type:** Plain foil **Impedance At Minimum Operating Tempurature In Ohms:** 108.0 **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 47.000 microfarads single section **Nonderated Operating Temp:** Between -20.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 25.0 dc single section **Tolerance Range Per Section:** -20.00/+20.00 percent single section Case Material: Metal

Capacitive Electrode Material:
Aluminum
Dissipation Factor At Reference Tempurature In Percent:
30.000
Dc Leakage At Reference Temp:
3.500 microamperes
Terminal Surface Treatment:
Solder
Case Insulation Material:
Plastic

NSN 5910-00-918-2330

Electrolytic Fixed Capacitor - Page 2 of 2



Terminal Type	And	Quantity:
---------------	-----	-----------

2 insulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0