NSN 5910-00-919-0373

Plastic Dielectric Variable Capacitor - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5910-00-919-0373 | |
|---|--|
| Body Style: | |
| Piston | |
| Overall Length: | |
| 0.983 inches | |
| Terminal Length: | |
| 0.593 inches | |
| Shaft Diameter: | |
| 0.130 inches single shaft | |
| Shaft Length: | |
| 0.312 inches single shaft | |
| Body Length: | |
| 0.671 inches | |
| Overall Diameter: | |
| Between 0.214 inches and 0.222 inches | |
| Fragility Factor: | |
| Moderately rugged | |
| Terminal Width: | |
| Between 0.060 inches and 0.064 inches | |
| Terminal Thickness: | |
| 0.222 inches | |
| Inclosure Type: | |
| Encased | |
| Adjustment Device Torque: | |
| Between 1.000 inch-ounces and 8.000 inch-ounces | |
| Insulation Dc Resistance At 25 Deg Celsius: | |
| 10.0 gigohms | |
| Mounting Facility Type And Quantity: | |
| 1 clip and 2 terminal | |
| Nonderated Operating Temp: | |
| Between -55.0 degrees celsius and 75.0 degrees celsius | |
| Shaft Type: | |

Round, slotted single shaft

Capacitance Range In Picofarads:

+0.7/+3.0 single section

Nonderated Voltage Rating And Type:

350.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 shaft

Material:

Plastic polystyrene capacitive electrode

Terminal Type And Quantity:

2 ribbon

NSN 5910-00-919-0373

Plastic Dielectric Variable Capacitor - Page 2 of 2



N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0