

View Online at <https://aerobasegroup.com/nsn/5910-00-923-1328>

**Body Style:**

Piston

**Overall Length:**

Between 0.638 inches and 0.700 inches

**Terminal Length:**

Between 0.969 inches and 1.031 inches

**Body Length:**

Between 0.519 inches and 0.559 inches

**Overall Diameter:**

Between 0.297 inches and 0.329 inches

**Temperature Coefficient Of Capacitance Range In Ppm Per Deg Celsius:**

-50.0/+50.0 single section

**Center To Center Distance Between Terminals Parallel To Diameter:**

Between 0.229 inches and 0.239 inches

**Terminal Diameter:**

0.032 inches

**Quality Factor At 25 Deg Celsius:**

500.0

**Fragility Factor:**

Moderately rugged

**Inclosure Type:**

Encapsulated

**Adjustment Device Torque:**

Between 1.000 inch-ounces and 10.000 inch-ounces

**Insulation Dc Resistance At 25 Deg Celsius:**

1000000.0 megohms

**Insulation Dc Resistance At Max Operating Temp:**

100000.0 megohms

**Mounting Facility Type And Quantity:**

3 terminal

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 125.0 degrees celsius

**Capacitance Range In Picofarads:**

+1.5/+16.0 single section

**Nonderated Voltage Rating And Type:**

1000.0 dc continuous single section

**Adjustment Device Drive Type And Quantity:**

1 slotted screw

**Capacitance Drift In Picofarads:**

0.02 single section

**Material:**

Metal base

**Terminal Type And Quantity:**

1 solder stud and 2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A096a0