

View Online at <https://aerobasegroup.com/nsn/5910-00-925-6531>

**Body Style:**

W/twist tab mtg, terminal (s) on one end

**Reliability Indicator:**

Not established

**Terminal Length:**

0.296 inches

**Body Diameter:**

1.503 inches

**Body Length:**

4.562 inches

**Schematic Diagram Designator:**

Electrod (s) grounded to case, w/gnd terminal

**Anode Type:**

Plain foil

**Electrical Polarization:**

Polarized

**End Application:**

Spruance class dd (963), nimitz class cvn, kidd class ddg, wasp class lhd, oliver perry class ffg, tarawa class lha, forrestal class cv, virginia class cgn (41), sturgeon class ssn (637)

**Capacitance Value Per Section:**

5000.000 microfarads single section

**Nonderated Operating Temp:**

Between -20.0 degrees celsius and 85.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

25.0 dc single section

**Tolerance Range Per Section:**

-10.00/+85.00 percent single section

**Case Material:**

Metal

**Capacitive Electrode Material:**

Aluminum

**Terminal Surface Treatment:**

Solder

**Case Insulation Material:**

Plastic

**Terminal Type And Quantity:**

2 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A010b0