

View Online at https://aerobasegroup.com/nsn/5910-00-925-6607

### **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

### **Terminal Length:**

1.625 inches

**Body Length:** 

0.130 inches

#### **Body Width:**

0.130 inches

**Body Height:** 

0.130 inches

### Center To Center Distance Between Terminals Parallel To Length:

Between 0.235 inches and 0.255 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### Insulation Resistance At Maximum Operating Temp:

5000.0 megohms

### Capacitance Value Per Section:

10.000 picofarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 150.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### **Case Material:**

Ceramic

Insulation Resistance At Reference Temp:

20000.0 megohms

# Power Factor At Reference Tempurature In Percent:

5.0000

# **Terminal Surface Treatment:**

Solder

# Test Data Document:

10001-60a5a35 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

2 uninsulated wire lead

# Shelf Life:

N/a

### Unit Of Measure:



Demilitarization:

No

Fiig:

A010b0