NSN 5910-00-930-1286



Electrolytic Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-00-930-1286 **Body Style:** W/o mtg facilities, terminal (s) on one end **Reliability Indicator:** Not established **Terminal Length:** 0.469 inches **Body Diameter:** 1.000 inches **Body Length:** 2.156 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.391 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Anode Type:** Plain foil **Impedance At Minimum Operating Tempurature In Ohms:** 15.0 **Electrical Polarization:** Nonpolarized **Capacitance Value Per Section:** 1250.000 microfarads single section **Nonderated Operating Temp:** Between -40.0 degrees celsius and 65.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 5.0 dc single section **Tolerance Range Per Section:** -250.00/+350.00 microfarads single section **Case Material:** Metal **Capacitive Electrode Material:** Aluminum Dc Leakage At Reference Temp: 0.500 milliamperes **Terminal Surface Treatment:** Solder **Case Insulation Material:** Plastic **Terminal Type And Quantity:** 2 tab, solder lug

N/a

Shelf Life:

NSN 5910-00-930-1286

Electrolytic Fixed Capacitor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A010b0