

View Online at <https://aerobasegroup.com/nsn/5910-00-931-0029>

**Body Style:**

W/o mtg facilities terminal (s) on one surface/w/o mtg facilities terminal(s) on one surface/w/o mtg facilities terminal(s) on one surface

**Reliability Indicator:**

Not established/not established/not established

**Terminal Length:**

1.500 inches 1.500 inches 1.500 inches

**Body Length:**

1.500 inches

**Body Width:**

1.031 inches

**Body Height:**

0.375 inches

**Center To Center Distance Between Terminals Parallel To Length:**

0.875 inches

**Terminal Diameter:**

0.032 inches

**Schematic Diagram Designator:**

No common or grounded electrode (s)

**End Application:**

Helicopter, uscg search and rescue, hh-60h, helicopter, search and rescue, hh-60h; helicopter, carrier based asw, sh-60f; spruance class dd (963), ticonderoga class cg (47), sturgeon class ssn (637), forrestal class cv, los angeles class ssn (688), virginia class cgn (41)

**Capacitance Value Per Section:**

10000.000 picofarads single section

**Voltage Temperature Limits Per Section In Percent Capacitance Change:**

-56.0/+22.0 without voltage applied single section

**Nonderated Operating Temp:**

Between -30.0 degrees celsius and 85.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

5000.0 dc single section

**Criticality Code Justification:**

Feat

**Tolerance Range Per Section:**

-20.00/+80.00 percent single section

**Case Material:**

Plastic

**Special Features:**

Weapon system essential

**Terminal Type And Quantity:**

2 uninsulated wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A010b0