Plastic Dielectric Fixed Capacitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5910-00-934-2985

## **Body Style:**

W/o mtg facilities, terminals on opposite surfaces

**Reliability Indicator:** 

Not established

**Terminal Length:** 

1.625 inches

**Body Length:** 

0.938 inches

**Body Width:** 

0.390 inches

**Body Height:** 

0.578 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

**Capacitance Value Per Section:** 

1.000 microfarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 100.0 degrees celsius

# Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

## **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

**Case Material:** 

Plastic

Insulation Resistance At Reference Temp:

30000.0 megohm-microfarads

## **Dissipation Factor At Reference Tempurature In Percent:**

1.0000

#### Test Data Document:

10001-2520631 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Terminal Type And Quantity:** 

2 uninsulated wire lead

#### Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0