Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-938-1277

### **Body Style:**

W/o mtg facilities, terminal (s) on one surface

#### **Reliability Indicator:**

Not established

## **Body Length:**

2.500 inches

#### **Body Width:**

1.188 inches

#### **Body Height:**

4.000 inches

#### Center To Center Distance Between Terminals Parallel To Length:

1.125 inches

#### **Terminal Height From Body:**

1.125 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

0.500 microfarads single section

### Nonderated Operating Temp:

Between -50.0 degrees celsius and 65.0 degrees celsius

#### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

1200.0 single section

#### Nonderated Continuous Voltage Rating And Type Per Section:

5000.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+20.00 percent single section

#### **Case Material:**

Metal

#### Insulation Resistance At Reference Temp:

10000.0 megohm-microfarads

# Power Factor At Reference Tempurature In Percent:

1.0000

## **Dielectric Material:**

Plastic

# Terminal Type And Quantity:

2 threaded stud

Shelf Life:

N/a

# Unit Of Measure:

--

## Demilitarization:

No

# NSN 5910-00-938-1277

Plastic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

