

View Online at <https://aerobasegroup.com/nsn/5910-00-943-0024>

Body Style:

Plate-meshing

Overall Length:

0.828 inches

Terminal Length:

Between 0.272 inches and 0.352 inches

Overall Height:

Between 0.441 inches and 0.461 inches

Overall Width:

Between 0.421 inches and 0.445 inches

Shaft Diameter:

0.082 inches single shaft

Shaft Length:

0.281 inches single shaft

Body Length:

0.547 inches

Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:

50.0 single section

Tolerance Of Temperature Coefficient In Ppm Per Deg Celsius:

-25.0/+25.0 single section

Unthreaded Mounting Hole Diameter:

0.086 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.375 inches

Quality Factor At 25 Deg Celsius:

1000.0

Fragility Factor:

Moderately rugged

Inclosure Type:

Encased

Terminal Location:

Adjustment control end perpendicular

Plate Quantity:

8

Tuning Characteristic:

Straight line capacity single section

Adjustment Device Torque:

Between 2.000 inch-ounces and 10.000 inch-ounces

Insulation Dc Resistance At 25 Deg Celsius:

50000.0 megohms

Plate Air Gap:

0.010 inches

Mounting Facility Type And Quantity:

2 unthreaded hole

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Shaft Type:

Round, slotted single shaft

Capacitance Range In Picofarads:

+1.54/+8.90 single section

Nonderated Voltage Rating And Type:

750.0 dc peak single section

Adjustment Device Drive Type And Quantity:

1 shaft

Material:

Steatite inclosure

Precious Material And Location:

Terminal surfaces silver

Precious Material:

Silver

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A096a0