

View Online at https://aerobasegroup.com/nsn/5910-00-946-9166

# **Body Style:**

W/o mtg facilities, radial terminalsw/o mtg facilities, radial terminalsw/o mtg facilities, radial terminals

# **Reliability Indicator:**

Not establishednot establishednot established

# **Terminal Length:**

1.500 inches 1.500 inches 1.500 inches

# **Body Diameter:**

0.570 inches

#### **Body Length:**

0.156 inches

# Center To Center Distance Between Terminals Parallel To Diameter:

0.375 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

110.000 picofarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

# Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-750.0 single section

# Nonderated Continuous Voltage Rating And Type Per Section:

1000.0 dc single section

# Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-120.0/+120.0 single section

# **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Metal

Power Factor At Reference Tempurature In Percent:

0.1000

# **Terminal Surface Treatment:**

Solder

# Case Insulation Material:

Plastic

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

---

# Demilitarization:

No

# NSN 5910-00-946-9166 Ceramic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

