## NSN 5910-00-958-6419

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-958-6419
Body Style:
Rotary
Body Length:
0.844 inches
Body Width:
0.656 inches
Body Height:
0.375 inches
Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:
-650.0 single section
Unthreaded Mounting Hole Diameter:
0.125 inches and 0.125 inches
Quality Factor At 25 Deg Celsius:
500.0
Dissipation Factor At 25 Deg Celsius In Percent:
0.2
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.445 inches
Inclosure Type:
Encased
Adjustment Device Torque:
Between 4.000 inch-ounces and 24.000 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
10.0 gigohms
Mounting Facility Type And Quantity:
2 unthreaded hole
Capacitance Range In Picofarads:
+5.0/+50.0 single section
Nonderated Voltage Rating And Type:
500.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Capacitance Drift In Picofarads:
0.50 single section
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:

No

## NSN 5910-00-958-6419

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0