## NSN 5910-00-958-7937

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-958-7937

**Body Style:** W/o mtg facilities, axial terminals **Reliability Indicator:** Not established **Terminal Length:** 1.625 inches **Body Diameter:** 0.312 inches **Body Length:** 0.876 inches **Schematic Diagram Designator:** Electrod (s) grounded to case, w/gnd terminal **Internal Electrical Connection Type:** Extended foil **Features Provided:** Hermetically sealed case **Insulation Resistance At Maximum Operating Temp:** 100000.0 megohm-microfarads **Capacitance Value Per Section:** 12000.000 picofarads single section **Nonderated Operating Temp:** Between -65.0 degrees celsius and 85.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: -100.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -40.0/+40.0 single section **Tolerance Range Per Section:** -1.00/+1.00 percent single section **Case Material:** Metal **Insulation Resistance At Reference Temp:** 1000000.0 megohm-microfarads **Power Factor At Reference Tempurature In Percent:** 0.0002 **Terminal Surface Treatment:** Solder **Dielectric Material:** Plastic polyethylene terephthalate

2 uninsulated wire lead

**Terminal Type And Quantity:** 

## NSN 5910-00-958-7937

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Shelf	l ife·
Olicii	LIIC.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0