

View Online at <https://aerobasegroup.com/nsn/5910-00-959-5209>

**Body Style:**

W/o mtg facilities, radial terminals/w/o mtg facilities, radial terminals

**Reliability Indicator:**

Not established/not established

**Terminal Length:**

1.500 inches

**Body Diameter:**

0.300 inches

**Body Length:**

0.156 inches

**Center To Center Distance Between Terminals Parallel To Diameter:**

0.250 inches

**Terminal Diameter:**

0.025 inches

**Schematic Diagram Designator:**

No common or grounded electrode (s)

**End Application:**

Los angeles class ssn (688), landing craft air cushion (lca), ticonderoga class cg (47), sturgeon class ssn (637); helicopter, advance attack, ah-1w; helicopter, carrier based asw, sh-60f; helicopter, uscg search & rescue, hh-60j; helicopter, mh-53e; helicopter, search & rescue, hh-60h

**Capacitance Value Per Section:**

400.000 picofarads single section

**Voltage Temperature Limits Per Section In Percent Capacitance Change:**

-4.7/+4.7 without voltage applied single section

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 85.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

1000.0 dc single section

**Criticality Code Justification:**

Feat

**Tolerance Range Per Section:**

-5.00/+5.00 percent single section

**Case Material:**

Plastic

**Terminal Surface Treatment:**

Solder

**Special Features:**

Weapon system essential

**Terminal Type And Quantity:**

2 uninsulated wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A010b0