# NSN 5910-00-960-7334

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-960-7334

Bodv	Styl	۰.
DOUV	Jινι	e.

W/o mtg facilities, radial terminalsw/o mtg facilities, radial terminalsw/o mtg facilities, radial terminals

#### **Reliability Indicator:**

Not establishednot established

## **Terminal Length:**

1.250 inches 1.250 inches

#### **Body Diameter:**

0.200 inches

#### **Body Length:**

0.400 inches

#### **Center To Center Distance Between Terminals Parallel To Length:**

Between 0.190 inches and 0.310 inches

#### **Terminal Diameter:**

0.025 inches

#### **Schematic Diagram Designator:**

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

5.000 picofarads single section

# **Nonderated Operating Temp:**

Between -55.0 degrees celsius and 125.0 degrees celsius

# Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

## Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

# **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:**

-60.0/+60.0 single section

# **Tolerance Range Per Section:**

-1.00/+1.00 picofarads single section

#### **Case Material:**

Plastic

# Insulation Resistance At Reference Temp:

10000.0 megohms

# **Dissipation Factor At Reference Tempurature In Percent:**

2.000

#### **Terminal Surface Treatment:**

Solder

# **Terminal Type And Quantity:**

2 uninsulated wire lead

# Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5910-00-960-7334

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0