

View Online at https://aerobasegroup.com/nsn/5910-00-965-6098

### **Body Style:**

W/o mtg facilities, radial terminalsw/o mtg facilities, radial terminalsw/o mtg facilities, radial terminals

#### **Reliability Indicator:**

Not establishednot establishednot established

#### **Terminal Length:**

0.188 inches

#### **Body Diameter:**

0.593 inches

#### **Body Length:**

0.156 inches

#### Center To Center Distance Between Terminals Parallel To Diameter:

0.375 inches

### **Terminal Diameter:**

0.032 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

### Capacitance Value Per Section:

120.000 picofarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-470.0 single section

## Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-60.0/+60.0 single section

### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

### Case Material:

Plastic

# Insulation Resistance At Reference Temp:

50000.0 megohms

# Quality Factor At Reference Temp:

1000.0000

# **Terminal Surface Treatment:**

Solder

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

## Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0