

View Online at <https://aerobasegroup.com/nsn/5910-00-972-3860>

Body Style:

Piston

Body Length:

Between 0.516 inches and 0.546 inches

Overall Diameter:

0.238 inches

Quality Factor At 25 Deg Celsius:

1000.0

Fragility Factor:

Rugged

End Application:

Jspruance class dd (963), nimitz class cvn, virginia class cgn (41), forrestal class cv, arliegh burke class ddg, sturgeon class ssn (637), kidd class ddg, los angeles class ssn (688), ticonderoga class cg (47)

Inclosure Type:

Encapsulated

Adjustment Device Torque:

Between 1.000 inch-ounces and 8.000 inch-ounces

Insulation Dc Resistance At 25 Deg Celsius:

10.0 gigohms

Mounting Facility Type And Quantity:

1 clip

Nonderated Operating Temp:

Between -55.0 degrees celsius and 75.0 degrees celsius

Criticality Code Justification:

Feat

Capacitance Range In Picofarads:

+0.7/+3.0 single section

Nonderated Voltage Rating And Type:

350.0 ac continuous single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Special Features:

Weapon system essential

Material:

Metal base

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A096a0