

View Online at https://aerobasegroup.com/nsn/5910-00-975-7522

Body Style:

W/mtg bracket, axial terminals

Reliability Indicator:

Not established

Terminal Length:

2.250 inches

Body Diameter:

0.675 inches

Body Length:

1.630 inches

Terminal Diameter:

0.032 inches

Unthreaded Mounting Hole Diameter:

0.166 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Internal Electrical Connection Type:

Extended foil

Mounting Facility Type And Quantity:

1 unthreaded mounting holes

Features Provided:

Hermetically sealed case

Insulation Resistance At Maximum Operating Temp:

20.0 megohm-microfarads

Capacitance Value Per Section:

200.000 nanofarads single section

Nonderated Operating Temp:

Between -65.0 degrees celsius and 125.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

400.0 dc single section

Tolerance Range Per Section:

-5.00/+5.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

25000.0 megohms

Dissipation Factor At Reference Tempurature In Percent:

0.6000

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 uninsulated wire lead



Reference Number Differentiating Characteristics:

Navord od36190

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A010b0