## NSN 5910-00-976-4606

Quartz Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-976-4606 **Thread Class:** 2a **Body Style:** Piston **Bushing Diameter:** 0.253 inches **Bushing Length:** 0.250 inches **Body Length:** 1.219 inches **Overall Diameter:** 0.312 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 25.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -25.0/+25.0 single section **Quality Factor At 25 Deg Celsius:** 1500.0 **Mounting Facility Screw Thread Series Designator:** Unf **Inclosure Type:** Encased **Adjustment Device Torque:** Between 1.000 inch-ounces and 10.000 inch-ounces **Bushing Shape:** Round w/flat Insulation Dc Resistance At 25 Deg Celsius: 1000.0 gigohms **Bushing Width:** 0.232 inches **Mounting Facility Type And Quantity:** 1 threaded bushing **Nonderated Operating Temp:** Between -55.0 degrees celsius and 150.0 degrees celsius **Thread Size:** 0.250 inches **Capacitance Range In Picofarads:** +0.8/+10.0 single section **Nonderated Voltage Rating And Type:** 

5000.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

## NSN 5910-00-976-4606

Quartz Dielectric Variable Capacitor - Page 2 of 2



1 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A096a0