NSN 5910-00-983-5032

Demilitarization:

No

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-983-5032

Body Style:
W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Not established
Body Diameter:
1.500 inches
Body Length:
2.500 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Impedance At Minimum Operating Tempurature In Ohms:
2000.0
Electrical Polarization:
Polarized
Capacitance Value Per Section:
40.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
450.0 dc single section
Tolerance Range Per Section:
-10.00/+50.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Equivalent Series Resistance At Reference Tempurature In Ohms:
200.00
Dc Leakage At Reference Temp:
2.220 milliamperes
Terminal Surface Treatment:
Nickel
Test Data Document:
81349-mil-c-62b specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
2 standard tube base
Shelf Life:
N/a
Unit Of Measure:

NSN 5910-00-983-5032

Electrolytic Fixed Capacitor - Page 2 of 2



Fiig:

A010b0