NSN 5910-00-993-6171

Plastic Dielectric Fixed Capacitor - Page 1 of 2



Tradito Dicioctife Fixed Capacitor Trage For 2
View Online at https://aerobasegroup.com/nsn/5910-00-993-6171
Body Style:
W/mtg tabs/flanges, terminals on opposite surfaces
Reliability Indicator:
Not established
Terminal Length:
1.500 inches
Body Length:
1.360 inches
Body Width:

0.590 inches

Center To Center Distance Between Terminals Parallel To Length:

0.250 inches

0.400 inches **Body Height:**

Terminal Diameter:

0.032 inches

Unthreaded Mounting Hole Diameter:

0.032 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.855 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Internal Electrical Connection Type:

Extended foil

Mounting Facility Type And Quantity:

2 unthreaded mounting holes

Features Provided:

Hermetically sealed case

Capacitance Value Per Section:

0.150 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

115.0 ac-rms single section and 400.0 dc single section

Tolerance Range Per Section:

-5.00/+5.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

100000.0 megohms

Dissipation Factor At Reference Tempurature In Percent:

0.700

NSN 5910-00-993-6171
Plastic Dielectric Fixed Capacitor - Page 2 of 2



Terminal Surface Treatment:
Solder
Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 uninsulated wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia·

A010b0