

View Online at https://aerobasegroup.com/nsn/5910-00-996-1089

Body S	tyle:
Piston	
Overall	Length:
1.211 in	ches
Shaft L	ength:
0.211 in	ches single shaft
Body L	ength:
1.000 in	ches
Overall	Diameter:
0.312 in	ches
Tempu	ature Coefficient Of Capacitance Range In Ppm Per Deg Celsius:
-100.0/+	100.0 single section
Center	To Center Distance Between Terminals Parallel To Length:
0.875 in	ches
Center	To Center Distance Between Terminals Parallel To Diameter:
0.281 in	ches
Quality	Factor At 25 Deg Celsius:
700.0	
Inclosu	re Туре:
Encase	t
Adjustr	nent Device Torque:
Betwee	n 1.000 inch-ounces and 10.000 inch-ounces
Insulati	on Dc Resistance At 25 Deg Celsius:
100.0 g	gohms
Mounti	ng Facility Type And Quantity:
4 termir	al
Nonder	ated Operating Temp:
Betwee	n -55.0 degrees celsius and 125.0 degrees celsius
Shaft T	ype:
Round,	slotted single shaft
Capaci	ance Range In Picofarads:
+0.8/+2	3.0 single section
Nonder	ated Voltage Rating And Type:
750.0 d	c continuous single section
Adjustr	nent Device Drive Type And Quantity:
1 shaft	
Capacit	ance Drift In Picofarads:
0.04 sin	gle section
Test Da	ta Document:
81349-r	nil-c-14409 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format;	excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environ	nental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Tormin	al Type And Quantity:

## Terminal Type And Quantity:

4 wire lead



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0