NSN 5910-01-006-7900

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-006-7900 **Body Style:** Compression **Terminal Length:** 0.120 inches **Body Length:** 0.200 inches **Body Width:** 0.200 inches **Body Height:** 0.060 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: -200.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -200.0/+200.0 single section **Quality Factor At 25 Deg Celsius:** 900.0 **Terminal Thickness:** 0.005 inches **Inclosure Type: Encased Adjustment Device Torque:** Between 0.100 inch-ounces and 1.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10.0 gigohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius **Capacitance Range In Picofarads:** +4.0/+18.0 single section **Nonderated Voltage Rating And Type:** 250.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 square hole Capacitance Drift In Picofarads: 0.50 single section **Terminal Type And Quantity:** 2 tab, solder lug Shelf Life: N/a **Unit Of Measure:**

--

NSN 5910-01-006-7900

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A096a0