

View Online at https://aerobasegroup.com/nsn/5910-01-007-5647

#### Unable To Decode:

W/o mtg facilities terminal (s) on one surfacew/o mtg facilities terminal(s) on one surfacew/o mtg facilities terminal(s) on one surface

#### **Reliability Indicator:**

Not establishednot establishednot established

#### **Terminal Length:**

15.0 millimeters 15.0 millimeters

#### **Body Length:**

6.0 millimeters

#### **Body Width:**

11.0 millimeters

#### **Body Height:**

2.1 millimeters

#### Center To Center Distance Between Terminals Parallel To Length:

5.08 millimeters

#### **Terminal Diameter:**

0.6 millimeters

### Schematic Diagram Designator:

No common or grounded electrode (s)

### Capacitance Value Per Section:

470.000 picofarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-1500.0 single section

#### Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

# Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-250.0/+250.0 single section

## **Tolerance Range Per Section:**

-2.00/+2.00 percent single section

## Case Material:

Plastic

# Insulation Resistance At Reference Temp:

1000.0 megohms

# **Terminal Surface Treatment:**

Solder

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

## Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0