

View Online at https://aerobasegroup.com/nsn/5910-01-008-8481

# **Body Style:**

W/o mtg facilities, radial terminalsw/o mtg facilities, radial terminalsw/o mtg facilities, radial terminals

# **Reliability Indicator:**

Not establishednot establishednot established

# **Terminal Length:**

1.500 inches 1.500 inches 1.500 inches

### **Body Diameter:**

0.490 inches

#### **Body Length:**

0.156 inches

### Center To Center Distance Between Terminals Parallel To Diameter:

Between 0.220 inches and 0.280 inches

### **Terminal Diameter:**

0.025 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

# **Capacitance Value Per Section:**

51.000 picofarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-220.0 single section

### Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

# Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

### **Tolerance Range Per Section:**

-2.00/+2.00 percent single section

### **Case Material:**

Plastic

### Insulation Resistance At Reference Temp:

20000.0 megohms

# Dissipation Factor At Reference Tempurature In Percent:

0.1000

### **Terminal Surface Treatment:**

Solder

### **Terminal Type And Quantity:**

2 uninsulated wire lead

### Shelf Life:

N/a

### Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0