

View Online at https://aerobasegroup.com/nsn/5910-01-009-8802

Body Style:
Compression
Terminal Length:
Between 0.180 inches and 0.110 inches
Body Length:
Between 0.135 inches and 0.155 inches
Body Width:
0.125 inches
Body Height:
0.045 inches
Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:
50.0 single section
Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:
-50.0/+50.0 single section
Quality Factor At 25 Deg Celsius:
1000.0
Fragility Factor:
Moderately rugged
Terminal Width:
0.020 inches
Terminal Thickness:
0.004 inches
Inclosure Type:
Encased
Adjustment Device Torque:
Between 0.050 inch-ounces and 0.500 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
100000.0 megohms
Mounting Facility Type And Quantity:
2 terminal
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Capacitance Range In Picofarads:
+0.25/+0.70 single section
Nonderated Voltage Rating And Type:
250.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 square hole
Capacitance Drift In Picofarads:
0.50 single section
Material:
Mica inclosure



Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0