

View Online at https://aerobasegroup.com/nsn/5910-01-012-0085

## **Body Style:**

W/o mtg facilities terminal (s) on one surfacew/o mtg facilities terminal(s) on one surfacew/o mtg facilities terminal(s) on one surface

## **Reliability Indicator:**

Not establishednot establishednot established

## **Terminal Length:**

1.500 inches 1.500 inches

## **Body Length:**

0.300 inches

### **Body Width:**

0.300 inches

### **Body Height:**

0.100 inches

## Center To Center Distance Between Terminals Parallel To Diameter:

0.200 inches

### **Terminal Diameter:**

0.200 inches

## Schematic Diagram Designator:

No common or grounded electrode (s)

# Capacitance Value Per Section:

33.000 picofarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 150.0 degrees celsius

# Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

# Nonderated Continuous Voltage Rating And Type Per Section:

30.0 dc single section

# Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

### **Case Material:**

Plastic

## Insulation Resistance At Reference Temp:

2500.0 megohm-microfarads

# **Quality Factor At Reference Temp:**

1000.0000

# **Terminal Surface Treatment:**

Solder

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0