## NSN 5910-01-013-4417

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



	View Online at https://aerobasegroup.com/nsn/5910-01-013-4417			
	Body Style:			
	W/o mtg facilities, axial terminals			
	Mil-std-1276 Wire Lead Type Designator:			
	N-2			
	Reliability Indicator:			
	Not established			
	Terminal Length:			
	1.625 inches			
	Body Diameter:			
	0.190 inches			
	Body Length:			
	0.562 inches			
	Terminal Diameter:			
	0.025 inches			
	Schematic Diagram Designator:			
	No common or grounded electrode (s)			
	Features Provided:			
	Hermetically sealed case			
	Insulation Resistance At Maximum Operating Temp:			
	200000.0 megohms			
	Capacitance Value Per Section:			
	0.033 microfarads single section			
	Nonderated Operating Temp:			
	Between -62.0 degrees celsius and 100.0 degrees celsius			
Nonderated Continuous Voltage Rating And Type Per Section				
	30.0 dc single section			
	Tolerance Range Per Section:			
	-1.00/+1.00 percent single section			
	Case Material:			
	Metal			
	Insulation Resistance At Reference Temp:			
	2000000.0 megohms			
	Dissipation Factor At Reference Tempurature In Percent:			
	0.1500			
	Terminal Surface Treatment:			
	Copper			
	Case Insulation Material:			
	Plastic			
	Terminal Type And Quantity:			
	2 uninsulated wire lead			

N/a

Shelf Life:

## NSN 5910-01-013-4417

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



	nit	O+	Measure:
u		v	wicasuic.

--

Demilitarization:

No

Fiig:

A010b0