NSN 5910-01-013-5023

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-013-5023

Body Style:

Dual inlinedual inline

Reliability Indicator:

Not establishednot established

Terminal Length:

Between 0.120 inches and 0.120 inches and 0.176 inches 0.176 inches

Body Length:

Between 0.787 inches and 0.795 inches

Body Width:

Between 0.290 inches and 0.310 inches

Body Height:

0.135 inches

Center To Center Distance Between Terminals Parallel To Length:

Between 0.690 inches and 0.710 inches

Center To Center Distance Between Terminals Parallel To Width:

Between 0.300 inches and 0.400 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Section Quantity:

Ω

Capacitance Value Per Section:

1500.000 picofarads all sections

Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-15.0/+15.0 without voltage applied all sections

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc all sections

Tolerance Range Per Section:

-20.00/+20.00 percent all sections

Case Material:

Plastic

Insulation Resistance At Reference Temp:

100000.0 megohms

Dissipation Factor At Reference Tempurature In Percent:

2.5000

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

16 printed circuit

Shelf Life:

N/a

NSN 5910-01-013-5023

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A010b0