NSN 5910-01-014-6155

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-014-6155

view Online at https://aerobasegroup.com/hsh/5910-01-014-6155				
Unable To Decode:				
W/o mtg facilities, axial terminals				
Reliability Indicator:				
Not established				
Terminal Length:				
1.500 inches				
Body Diameter:				
0.582 inches				
Body Length:				
1.125 inches				
Terminal Diameter:				
0.032 inches				
Schematic Diagram Designator:				
No common or grounded electrode (s)				
Features Provided:				
Hermetically sealed case				
Capacitance Value Per Section:				
0.470 microfarads single section				
Nonderated Operating Temp:				
Between -62.0 degrees celsius and 125.0 degrees celsius				
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:				
-50.0 single section				
Nonderated Continuous Voltage Rating And Type Per Section:				
50.0 dc single section				
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:				
-25.0/+25.0 single section				
Tolerance Range Per Section:				
-1.00/+1.00 percent single section				
Case Material:				
Metal				
Insulation Resistance At Reference Temp:				
500000.0 megohm-microfarads				
Dissipation Factor At Reference Tempurature In Percent:				
0.0500				
Terminal Surface Treatment:				
Solder				
Case Insulation Material:				
Plastic				
Terminal Type And Quantity:				
2 uninsulated wire lead				
Shelf Life:				

N/a

NSN 5910-01-014-6155

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



	nit	O+	Measure:
u		v	wicasuic.

--

Demilitarization:

No

Fiig:

A010b0