Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-016-7816

## **Body Style:**

W/o mtg facilities, axial terminals

**Reliability Indicator:** 

Not established

Terminal Length:

1.500 inches

#### **Body Diameter:**

0.318 inches

**Body Length:** 

0.886 inches

**Terminal Diameter:** 

0.016 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

### **Internal Electrical Connection Type:**

Extended foil

## Capacitance Value Per Section:

9100.000 picofarads single section

#### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

150.0 single section

### Nonderated Continuous Voltage Rating And Type Per Section:

160.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-50.0/+50.0 single section

### **Tolerance Range Per Section:**

-2.50/+2.50 percent single section

### Case Material:

Plastic

# Insulation Resistance At Reference Temp:

100000.0 megohms

# Dissipation Factor At Reference Tempurature In Percent:

0.0005

# **Terminal Surface Treatment:**

Solder

## **Dielectric Material:**

Plastic polystyrene

### **Terminal Type And Quantity:**

2 uninsulated wire lead

#### Shelf Life:

N/a

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0