## NSN 5910-01-016-7822

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-016-7822 **Body Style:** Compression **Terminal Length:** 0.110 inches **Body Length:** 0.461 inches **Body Width:** 0.276 inches **Body Height:** 0.340 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -200.0/+200.0 single section **Center To Center Distance Between Terminals Parallel To Length:** 0.323 inches **Terminal Width:** 0.071 inches **Terminal Thickness:** 0.020 inches **Inclosure Type: Encased Adjustment Device Torque:** Between 0.500 inch-ounces and 2.500 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +2.0/+10.0 single section **Nonderated Voltage Rating And Type:** 250.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:** 2 printed circuit Shelf Life: N/a **Unit Of Measure:** 

--

## NSN 5910-01-016-7822

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A096a0