NSN 5910-01-017-4954

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-017-4954

Body	Stv	٠ ما
DUUV	OLV.	ıe.

W/o mtg facilities, axial terminalsw/o mtg facilities, axial terminals

Reliability Indicator:

Not establishednot established

Terminal Length:

0.130 inches 0.130 inches

Body Diameter:

Between 0.240 inches and 0.250 inches

Body Length:

0.290 inches

Terminal Diameter:

Between 0.091 inches and 0.095 inches

Schematic Diagram Designator:

Feedthrough

Insulation Resistance At Maximum Operating Temp:

1000.0 megohms

Capacitance Value Per Section:

10000.000 picofarads single section

Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-30.0/+10.0 without voltage applied single section

Nonderated Operating Temp:

Between -65.0 degrees celsius and 125.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

Tolerance Range Per Section:

-20.00/+20.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

20000.0 megohms

Dissipation Factor At Reference Tempurature In Percent:

2.5000

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5910-01-017-4954

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Fiig:

A010b0