

View Online at https://aerobasegroup.com/nsn/5910-01-018-6970

Body Style:
Rotary
Body Diameter:
0.531 inches
Body Height:
0.234 inches
Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:
0.0 single section
Quality Factor At 25 Deg Celsius:
500.0
Terminal Thickness:
0.008 inches
Inclosure Type:
Encased
Adjustment Device Torque:
Between 2.000 inch-ounces and 8.000 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
10.0 gigohms
Mounting Facility Type And Quantity:
2 terminal
Nonderated Operating Temp:
Between -55.0 degrees celsius and 85.0 degrees celsius
Capacitance Range In Picofarads:
+3.0/+12.0 single section
Nonderated Voltage Rating And Type:
350.0 dc continuous single section
Capacitance Change In Percent At Operating Tempurature From 25 Deg Celsius:
-4.50/+2.00 single section and -2.50/+2.00 single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Capacitance Drift In Picofarads:
0.50 single section
Material:
Ceramic inclosure
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

## NSN 5910-01-018-6970

Ceramic Dielectric Variable Capacitor - Page 2 of 2

**Fiig:** A096a0

