

View Online at https://aerobasegroup.com/nsn/5910-01-019-5106

### **Body Style:**

W/o mtg facilities terminal (s) on one surfacew/o mtg facilities terminal(s) on one surfacew/o mtg facilities terminal(s) on one surface

### **Reliability Indicator:**

Not establishednot establishednot established

### **Terminal Length:**

1.500 inches 1.500 inches 1.500 inches

### **Body Length:**

0.200 inches

#### **Body Width:**

0.200 inches

#### **Body Height:**

0.125 inches

### Center To Center Distance Between Terminals Parallel To Length:

0.100 inches

### **Terminal Diameter:**

0.016 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### Capacitance Value Per Section:

1500.000 picofarads single section

### Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-15.0/+15.0 without voltage applied single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

### **Case Material:**

Plastic

## Insulation Resistance At Reference Temp:

2500.0 megohm-microfarads

## Dissipation Factor At Reference Tempurature In Percent:

2.0000

# Terminal Surface Treatment:

Solder

### **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

### Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0